

UNIVERSIDADE ESTADUAL DE CAMPINAS
SISTEMA DE BIBLIOTECAS DA UNICAMP
REPOSITÓRIO DA PRODUÇÃO CIENTÍFICA E INTELECTUAL DA UNICAMP

Versão do arquivo anexado / Version of attached file:

Versão do Editor / Published Version

Mais informações no site da editora / Further information on publisher's website:

<https://pos.sissa.it/444/368>

DOI: 10.22323/1.444.0368

Direitos autorais / Publisher's copyright statement:

©2024 by Sissa Medialab. All rights reserved.

DIRETORIA DE TRATAMENTO DA INFORMAÇÃO

Cidade Universitária Zeferino Vaz Barão Geraldo

CEP 13083-970 – Campinas SP

Fone: (19) 3521-6493

<http://www.repositorio.unicamp.br>

Auger@TA: An Auger-like surface detector micro-array embedded within the Telescope Array Project

S. Mayotte,^{a,*} J. Caraça-Valente,^a C. Covault,^b T. Fujii,^c S. Im,^b R. James,^b J. Johnsen,^a K.H. Kampert,^d H. Kern,^e J.N. Matthews,^f E. Mayotte,^a A. Bartz Mocellin,^a S. Quinn,^b H. Que,^b J. Rautenberg,^d M. Roth,^e H. Sagawa,^g T. Sako,^g F. Sarazin,^a R. Sato,^h D. Schmidt,ⁱ S.B. Thomas^f and G. Wörner^e for the Pierre Auger^j and Telescope Array^k Collaborations

^aDepartment of Physics, Colorado School of Mines, Golden, CO, USA

^bCase Western Reserve University, Cleveland, OH, USA

^cGraduate School of Science, Osaka Metropolitan University, Osaka, Japan

^dDepartment of Physics, University of Wuppertal, Wuppertal, Germany

^eInstitute for Astroparticle Physics, Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany

^fDepartment of Physics and Astronomy, University of Utah, Salt Lake UT, USA

^gICRR, University of Tokyo, Kashiwa, Chiba, Japan

^hComisión Nacional de Energía Atómica, Malargüe, Argentina

ⁱInstitute of Experimental Particle Physics, Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany

^jObservatorio Pierre Auger, Av. San Martín Norte 304, 5613 Malargüe, Argentina

Full author list: https://www.auger.org/archive/authors_icrc_2023.html

^kTelescope Array Project, 201 James Fletcher Bldg, 115 S 1400 East, Salt Lake City, UT 84112, USA

Full author list: <http://www.telescopearray.org/research/collaborators>

E-mail: spokespersons@auger.org

The Pierre Auger Observatory (Auger) and the Telescope Array Project (TA) are the two largest ultra-high-energy cosmic ray (UHECR) observatories in the world. One obstacle in pursuing full-sky UHECR physics is the apparent discrepancy in flux measured by the two experiments. This could be due to astrophysical differences as Auger and TA observe the Southern and Northern skies, respectively. However, the scintillation detectors used by TA have very different sensitivity to the various components of extensive air showers than the water-Cherenkov detectors (WCD) used by Auger. The discrepancy could also be due to systematic effects arising from the differing detector designs and reconstruction methods. The primary goal of the Auger@TA working group is to cross-calibrate the approaches of the two observatories using in-situ methods. This is achieved by placing a self-triggering micro-array, which consists of eight Auger surface detector stations, with both WCDs and AugerPrime scintillators, within the TA array. Seven of the WCDs use a 1-PMT prototype configuration and form a hexagon with the Auger spacing of 1.5 km. The eighth station uses a standard 3-PMT Auger WCD, placed with a TA station at the center of the hexagon to form a triplet for high-statistics, low-uncertainty, cross-calibration of instrumentation. Deployment of the micro-array took place between September 2022 and August 2023, with data-taking foreseen by the Fall of 2023. Details on the instrumentation and deployment of the micro-array, as well as its expected performance, trigger efficiencies, and event rate will be presented. First data from individual stations will also be shown.

38th International Cosmic Ray Conference (ICRC2023)
26 July - 3 August, 2023
Nagoya, Japan



*Speaker

1. Introduction

The Pierre Auger Observatory (Auger) [1] and the Telescope Array Project (TA) [2] are the two largest experiments in the world that study ultra-high-energy cosmic rays (UHECR). They are located in opposite hemispheres - the Pierre Auger Observatory in the Southern hemisphere and the Telescope Array Project in the Northern hemisphere - and have collected data over the past 15 years, finding that their results are not entirely consistent. A notable discrepancy between the two observatories is a difference in the measured energy scale of UHECR between the two experiments shown in Figure 1. One aspect of this is a difference of approximately 9 %, falling within the range of systematic uncertainties for both experiments, which until now has been resolved through re-scaling. Even after re-scaling, a residual energy scale difference increasing with energy from the the start of the suppression region and beyond remains and cannot be resolved easily [3].

There are two possible reasons for these discrepancies. They could be caused by fundamental differences between the northern and southern UHECR skies, they could originate from undetermined discrepancies in the way data is processed by the two experiments, or both. With an on-going and increasing collaboration between Auger and TA, it is now crucial to ascertain the cause of the observed differences, to allow for further joint high-level, full-sky analyses [4–6].




Figure 1: Measured UHECR flux: Auger (black circles) and TA (blue squares) (adapted from [3]).

2. The Auger@TA Project

Both experiments use surface detectors (SDs) as their main statistics driver, but they employ different designs. The Auger SD uses a Water Cherenkov detection (WCD) system to collect light produced by charged particles above a certain energy threshold and is sensitive to both the electromagnetic and muonic component of an air shower. The TA SD uses plastic scintillators as particle counters which have an equal per-particle response to the electromagnetic and muonic part of the shower. However, since the electromagnetic component of the shower often has a higher particle count, the signal in scintillator detectors is often dominated by the electromagnetic component. The Auger SD is calibrated to the signal of a muon passing vertically through the tank (VEM), while the baseline calibration unit for the TA SD is the Minimum Ionizing Particle (MIP) energy loss. To compare the two detectors, the Auger@TA project was formed, consisting of around two dozen members from both experiments. The project aims to cross-calibrate the SDs of both experiments using Auger detectors at the Telescope Array site and measuring the same showers. The Auger@TA initiative has outlined goals in ascending order of required statistics which are listed below and described in more detail in [7].

- Cross-calibration of Auger and TA SDs (station-by-station level)
- Event reconstruction comparison (event-by-event level)
- Test nature of 9 % energy scale difference by making a fully independent flux measurement

- Investigate discrepancy in flux suppression region with single event comparisons

The Auger@TA project is conducted in two stages, with Stage I spanning from 2018 to 2020 and Stage II currently ongoing. Both stages will be reported on in this document, with a full publication on Stage I following later this year.

3. Auger@TA Stage I: Station-level Comparisons

The initial stage of the Auger@TA project had the goal of cross-calibrating and comparing the data from two co-located stations, one regular 3-PMT Auger (here Auger@TA) and one TA station, positioned at the TA Central Laser Facility (CLF) [8, 9]. The TA station received a trigger signal from the TA array and data from both stations were recorded. Over the course of the run-time of Stage I, a total of 12 events, that were reconstructed by TA and passed their quality cuts, were observed by the co-located Auger@TA and TA stations. For each of the 12 shared events, similar events were selected from nearly 20 years of available Auger SD data, in order to analyze the Auger@TA signal and compare it to both the Auger and TA array.

The TA reconstruction values for energy and zenith, $E_{\text{rec}}^{\text{TA}}$ and $\theta_{\text{rec}}^{\text{TA}}$, were used to select all Auger events that are within a $1\sigma(E_{\text{rec}})$ window of the TA reconstruction values. In order to calculate this $1\sigma(E_{\text{rec}})$ window the TA reconstruction uncertainties as reported by TA in [2] as well as the energy and zenith uncertainties from Auger as reported in [10] and [1] are taken into account and added in quadrature as

Event ID	$E_{\text{rec}}^{\text{TA}}$ (EeV)	$\theta_{\text{rec}}^{\text{TA}}$ (°)	S_{TA} (MIP)	$S_{\text{Auger@TA}}$ (VEM)	$R_{\text{Auger@TA}}$ (m)	#Events _{Auger}	Quantile (%)
12	4.25	43.52	8.39	18.97	1078	9496	75.3
13	3.61	40.74	27.42	40.33	703	13807	26.7
34	4.57	38.44	18.51	25.12	1105	7505	89.5
49	4.58	38.28	38.83	56.49	811	7402	68.2
80	7.57	22.23	6.43	6.85	1580	1769	49.9
90	3.30	5.41	16.55	31.99	1016	2623	93.7
105	4.84	31.94	523.74	505.66	382	6073	40.5
111	4.96	39.92	8.33	6.71	1318	6317	17.8
119	4.93	32.64	51.48	104.31	775	5809	84.6
165	4.24	22.79	8.66	11.74	967	6334	2.3
181	3.24	16.29	68.70	86.16	355	9114	0.4
188	3.11	41.15	12.54	50.61	857	29429	94.3

Table 1: Overview of the 12 shared events observed in Stage I (see text for details).

$$\sigma(E_{\text{rec}}) = \sqrt{\sigma(E_{\text{rec}}^{\text{TA}})^2 + \sigma(E_{\text{rec}}^{\text{Auger}})^2} \quad \text{and} \quad \sigma(\theta_{\text{rec}}) = \sqrt{\sigma(\theta_{\text{rec}}^{\text{TA}})^2 + \sigma(\theta_{\text{rec}}^{\text{Auger}})^2} \quad (1)$$

The number of selected Auger events is listed for each of the 12 Stage I events in Table 1. An average lateral distribution function (LDF) [11] is calculated from the Auger events in order to compare it to the Auger@TA signal for each of the 12 Stage I events. If the Auger@TA signal is above the average LDF this means that the $E_{\text{rec}}^{\text{TA}}$ used to select the Auger events was lower than what would be needed to achieve a signal of that size in Auger. The opposite is true when the Auger@TA signal is below the average LDF. An example can be seen in Figure 2.

To eliminate selection effects influencing further analysis the Auger events are weighted. Selection effects originating from the UHECR spectrum are reduced by applying a spectrum weight $w_{E,\text{spec}} = \left(E_{\text{rec}}^{\text{TA}}/E_{\text{rec}}^{\text{Auger}}\right)^{-\gamma}$, where γ is the spectral index using the values as reported in [10] for the respective $E_{\text{rec}}^{\text{TA}}$. Additionally for both $E_{\text{rec}}^{\text{TA}}$ and $\theta_{\text{rec}}^{\text{TA}}$, weights ($w_{E,\text{gauss}}$ and $w_{\theta,\text{gauss}}$)

are sampled from Gaussians with μ as the respective reconstruction value and σ is the respective TA+Auger resolution on that value (as mentioned in Equation 1), in order to de-weight events the further they are from the TA reconstruction values. Doing so leads to a combined weight of $w_{\text{Event}} = w_{E,\text{spec}} \cdot w_{E,\text{gauss}} \cdot w_{\theta,\text{gauss}}$. Residual signals are calculated for each Auger event with respect to the associated Auger@TA event as $S_{\text{res}} = \frac{S_{\text{Auger}} - S_{\text{Auger@TA}}}{S_{\text{Auger@TA}}}$ and their weighted distribution is shown in Figure 2.

The quantiles, shown in Table 1, are calculated as $q = (A_{\text{under}}/A_{\text{total}}) \cdot 100$ (with $A_{\text{under}} = \sum w_{\text{Event}}(S_{\text{res}} \leq 0)$ and $A_{\text{total}} = \sum w_{\text{Event}}$). They describe the percentage of S_{Auger} that were lower than $S_{\text{Auger@TA}}$. Due to the very low statistics of 12 events, there is no clear trend visible that would indicate Auger@TA yielding different

results than Auger. This is also reflected in the fact that about half of the events are in the quantile above 50 % and the other half is in the quantile below 50 %. There are only two events that are significant with more than 90 % of the selected Auger events having a lower signal than the one measured with Auger@TA. The analysis of Stage I data and its interpretation is currently being finalized and will be reviewed by both collaborations prior to publication later this year.




Figure 2: Auger@TA Stage I event 49: Left: Signal from Auger@TA station (orange data point) in relation to average Auger LDF (blue line and error band). Right: Weighted distribution of S_{res} .

4. Auger@TA Stage II: Extension to Event-level Comparisons

Auger@TA Stage II is an extension of Stage I, involving station-level comparisons as well as direct comparisons of Auger and TA shower reconstructions. This study is necessary due to significant differences in the two SD reconstruction methods. Auger and TA both use a shower size estimator obtained from their respective LDFs. However, they differ in how they convert this estimator into a normalized quantity. Auger uses a Constant Intensity Cut method [12, 13] while TA relies on large shower simulation libraries [14]. For a comparison of reconstruction parameters, more than two stations are needed.

Stage II will use seven 1-PMT prototype stations, previously used for R&D of a Northern hemisphere Auger [15], arranged in a hexagon pattern, spaced 1.5 km apart, to enhance statistical accuracy. The regular 3-PMT Auger station and the TA station from Stage I are placed at the center of the hexagon as well, forming a triplet. The spacing in the triplet is approximately 11 meters, which is the same distance used for doublet and triplet setups by Auger [16] and was chosen to minimize reconstruction biases when using the fine-tuned reconstruction procedure developed for the Auger Observatory. The central triplet will provide high statistics for studying signal correlations between the 1- and 3-PMT Auger stations (in VEM) and the TA station (in MIP). This will allow for cross-calibration and the extension of the Stage I study.

4.1 The Auger@TA station & Communications System

The stations in the hexagon that were sourced from the 1-PMT prototype stations were retrofitted to match regular Auger stations as closely as possible. The retro-fitting process and an overview of the new components are described in detail in [7] and a schematic of one such Auger@TA station can be seen in Figure 3. The only differences now remaining between a standard Auger and an Auger@TA station are the number of PMTs (one central PMT), the form factor of the shell (minor), and the custom-designed communications system using off-the-shelf components.

All eight Auger-type stations are also out-fitted with an AugerPrime Surface Scintillator Detector (SSD) [17]. These SSDs expand on the original scope of placing a micro-array in TA and allow for further cross-calibration options.

The micro-array has a custom communications system that utilizes easily available components, allowing for direct internet access to the stations. YAGI antennas with Digi Xbee Pro transceivers are used to ensure communication between the central triplet and the stations located on the outside of the hexagon. An abstraction layer is implemented over the Xbee line for internet access. Science data and commands are still relayed via regular Auger protocols for debugging. A mobile 4G LTE wireless modem is used for communication from the central node to the data server located at Case Western Reserve University.





Figure 3: Auger@TA station schematic.

4.2 Status of the Micro-array & First Data

The Auger@TA micro-array has been deployed in the southwest corner of the TA array overlooked by the Black Rock fluorescence detector (FD) (see Figure 4a). In September 2022, the main stage of deployment was completed.

The initial deployment involved decommissioning the Stage I setup and inspecting all 8 stations before placing the detector stations and supporting equipment in the selected area. The deployment site is shown in Figure 4a in relation to Black Rock FD. Water delivery occurred in the weeks following deployment and station commissioning took place over subsequent trips this year. Commissioning of the micro-array is nearing completion with most stations only missing PMT bases (supply chain issues) and the SSDs, which need to be deployed after placing the bases due to accessibility. However, the two Auger-type stations in the central triplet have been fully commissioned and can be seen in Figure 4a. A first set of raw signal traces that has been obtained from the Auger@TA station in the central triplet can be seen in Figure 4b. The remaining SSDs and PMT bases will be placed at the beginning of August. A fully instrumented micro-array is expected by the end of August 2023.



(a) Top: Location of the 9 station micro-array within TA, also showing the distance to the Black Rock FD. Bottom: Center triplet and data acquisition comms station. Station names inspired by [18]. (b) High gain (left) and low gain (right) channel signal traces obtained from the WCD PMT of the Auger@TA central triplet station.

Figure 4: Deployment site and first station data.

4.3 Expected Performance: Energy Resolution

To ensure the success of Auger@TA, a high-quality energy reconstruction is critical. However, achieving this with only one hexagon is challenging.

Using the regular full Auger array (FA) to benchmark the single hexagon (SH) performance by running a simulation study and comparing all successfully reconstructed events from both simulation sets, the energy resolution of the single hexagon, calculated over the full simulated energy range, is only 39.7% (see Figure 5 bottom left) without any quality cuts. It is expected that events with a shower footprint, or shower core falling within a single hexagon will have better reconstruction on average, as can be verified in the top left plot in Figure 5. To select high-




Figure 5: Expected energy resolution: Left panels: All reconstructed events (grey in bottom) compared to HQ selection (blue in bottom). Right panels: Extrapolated SH energy resolution assuming TA core uncertainty of ≈ 100 m can be used (detail in text).

quality events, a cut is made on the distance of the reconstructed shower core to the central station ($R_{\text{center}} \leq 1125$ m). This high-quality selection cut greatly improves the energy resolution of the single hexagon to 12.2 % (see also Figure 5 bottom left).

Reducing the number of usable events in the data set is, of course, not ideal, and such a selection will only be applied for completely independent Auger@TA studies. Nonetheless, usually events seen by the micro-array will also likely be observed by TA. Thus, using the TA shower core reconstruction in the Auger@TA reconstruction can be done with minimal bias. A study of the possible effect of this on the energy resolution can be seen in Figure 5 in the panels on the right. Here the correlation between SH and FA simulation as a function of the the SH core reconstruction uncertainty is investigated. To emulate what the result of using the TA core reconstruction to inform the SH reconstruction could be, the SH-FA correlation is evaluated by looking only at events which have a core reconstruction uncertainty of ≈ 100 m or better. This value was chosen as it is equivalent to the TA shower core uncertainty at low energies [14]. Doing so achieves an energy resolution of 13.1 %, which is comparable to the high-quality cut of 12.2 %.

4.4 Expected Performance: Event Rate

The single hexagon simulation set can be used to predict the yearly event rate when folding in the UHECR spectrum for the micro-array (see Figure 6). To select a suitable region for measuring the cosmic ray flux the reconstructed energy distribution was compared to the thrown Monte Carlo and a flat region from $18.3 - 18.8 \log_{10}(E/\text{eV})$ was selected. The expected statistics in this region are up to 65 events/yr when assuming that the TA core reconstruction can be used as explained above. Assuming this event rate, a flux measurement could be made after two years with 8.7 % statistical uncertainty, leading to a 1σ level comparison between Auger and TA. Seven years would be needed for a 2σ level comparison unless lower energy events can be included. Systematic uncertainties are still being quantified, and the simulations will be refined to optimize the study.




Figure 6: Expected event rates: Both plots: light blue: all E_{rec} data, dark blue: high-quality selection (see Figure 5), x-axis energy refers to E_{rec} for blue histograms and E_{MC} values for grey histogram. Top: E_{MC} distribution (filled grey histogram) and E_{rec} distributions (blue histograms) shown together with selected flux measurement region (dashed lines). Bottom: Predicted event rate with numbers for each region.

5. Summary and Outlook

The Auger@TA project is currently the only effort that can identify differences in the Auger and TA SD data by measuring the same showers with the two different detector types. This is needed to determine if the energy scale discrepancies between the experiments are due to astrophysical differences or unresolved data analysis discrepancies.

During Stage I of the project, 12 events were collected that were observed both with co-located Auger and a TA stations as well as with the TA array itself. The analysis of these events, although statistically limited, has already yielded positive results. There is currently no clear indication of the Auger@TA station of Stage I giving different results as compared to the Auger SD array. A full analysis of the Stage I data will be released later this year.

Stage II is currently in progress, with the micro-array almost fully instrumented and the first data expected by the second half of 2023. The remaining parts of commissioning are the deployment of bases and SSDs in the outer-hexagon stations. The first traces from one of the stations in the central triplet are shown in this document. Simulation studies have been carried out to gauge the expected performance of a single hexagon array and the results look promising, with a 1σ level comparison between Auger and TA potentially being possible after two years of data taking.

References

- [1] A. Aab et al., [Pierre Auger Coll.], *Nucl. Instrum. Meth. A* **798** (2015) 172.
- [2] T. Abu-Zayyad et al., [Telescope Array Coll.], *Nucl. Instrum. Meth. A* **689** (2013) 87.
- [3] O. Deligny, [Pierre Auger, Telescope Array Coll.], *PoS ICRC2019* (2020) 234.
- [4] A. Aab et al., [Telescope Array, Pierre Auger Coll.], *Astrophys. J.* **794** (2014) 172.
- [5] P. Tinyakov et al., [Telescope Array, Pierre Auger Coll.], *PoS ICRC2021* (2021) 375.
- [6] A. di Matteo et al., [Telescope Array, Pierre Auger Coll.], *PoS ICRC2021* (2021) 308.
- [7] S. Mayotte et al., [Pierre Auger, Telescope Array Coll.], *EPJ Web Conf.* **283** (2023) 06005.
- [8] S. Quinn et al., [Pierre Auger, Telescope Array Coll.], *JPS Conf. Proc.* **19** (2018) 011033.
- [9] F. Sarazin et al., [Pierre Auger, Telescope Array Coll.], *EPJ Web Conf.* **210** (2019) 05002.
- [10] A. Aab et al., [Pierre Auger Coll.], *Phys. Rev. D* **102** (2020) 062005.
- [11] K. Kamata and J. Nishimura, *Progress of Theoretical Physics Supplement* **6** (1958) 93.
- [12] J. Hersil, I. Escobar, D. Scott, G. Clark and S. Olbert, *Phys. Rev. Lett.* **6** (1961) 22.
- [13] J. Abraham et al., [Pierre Auger Coll.], *Phys. Rev. Lett.* **101** (2008) 061101.
- [14] R.U. Abbasi et al., [Telescope Array Coll.], *Phys. Rev. D* **98** (2018) 022002.
- [15] J. Blumer et al., [Pierre Auger Coll.], *New J. Phys.* **12** (2010) 035001.
- [16] A. Aab et al., [Pierre Auger Coll.], *JINST* **15** (2020) P10021.
- [17] R. Šmída, [Pierre Auger Coll.], *PoS ICRC2017* (2018) 390.
- [18] J.R.R. Tolkien, *The Lord of the Rings*, Houghton Mifflin Harcourt (1954).

The Pierre Auger Collaboration



A. Abdul Halim¹³, P. Abreu⁷², M. Aglietta^{54,52}, I. Allekotte¹, K. Almeida Cheminant⁷⁰, A. Almela^{7,12}, R. Aloisio^{45,46}, J. Alvarez-Muñiz⁷⁹, J. Ammerman Yebra⁷⁹, G.A. Anastasi^{54,52}, L. Anchordoqui⁸⁶, B. Andrada⁷, S. Andringa⁷², C. Aramo⁵⁰, P.R. Araújo Ferreira⁴², E. Arnone^{63,52}, J. C. Arteaga Velázquez⁶⁷, H. Asorey⁷, P. Assis⁷², G. Avila¹¹, E. Avocone^{57,46}, A.M. Badescu⁷⁵, A. Bakalova³², A. Balaceanu⁷³, F. Barbato^{45,46}, A. Bartz Mocellin⁸⁵, J.A. Bellido^{13,69}, C. Berat³⁶, M.E. Bertaina^{63,52}, G. Bhatta⁷⁰, M. Bianciotto^{63,52}, P.L. Biermann^h, V. Binet⁵, K. Bismark^{39,7}, T. Bister^{80,81}, J. Biteau³⁷, J. Blazek³², C. Bleve³⁶, J. Blümer⁴¹, M. Boháčová³², D. Boncioli^{57,46}, C. Bonifazi^{8,26}, L. Bonneau Arbeletche²¹, N. Borodai⁷⁰, J. Brack^j, P.G. Bricchetto Orcheria⁷, F.L. Briechele⁴², A. Bueno⁷⁸, S. Buitink¹⁵, M. Buscemi^{47,61}, M. Büschen^{39,7}, A. Bwembya^{80,81}, K.S. Caballero-Mora⁶⁶, S. Cabana-Freire⁷⁹, L. Caccianiga^{59,49}, I. Caracas³⁸, R. Caruso^{58,47}, A. Castellina^{54,52}, F. Catalani¹⁸, G. Cataldi⁴⁸, L. Cazon⁷⁹, M. Cerda¹⁰, A. Cermenati^{45,46}, J.A. Chinellato²¹, J. Chudoba³², L. Chytka³³, R.W. Clay¹³, A.C. Cobos Cerutti⁶, R. Colalillo^{60,50}, A. Coleman⁹⁰, M.R. Coluccia⁴⁸, R. Conceição⁷², A. Condorelli³⁷, G. Consolati^{49,55}, M. Conte^{56,48}, F. Convenga⁴¹, D. Correia dos Santos²⁸, P.J. Costa⁷², C.E. Covault⁸⁴, M. Cristinziani⁴⁴, C.S. Cruz Sanchez³, S. Dasso^{4,2}, K. Daumiller⁴¹, B.R. Dawson¹³, R.M. de Almeida²⁸, J. de Jesús^{7,41}, S.J. de Jong^{80,81}, J.R.T. de Mello Neto^{26,27}, I. De Mitri^{45,46}, J. de Oliveira¹⁷, D. de Oliveira Franco²¹, F. de Palma^{56,48}, V. de Souza¹⁹, E. De Vito^{56,48}, A. Del Popolo^{58,47}, O. Deligny³⁴, N. Denner³², L. Deval^{41,7}, A. di Matteo⁵², M. Dobre⁷³, C. Dobrigkeit²¹, J.C. D'Olivo⁶⁸, L.M. Domingues Mendes⁷², J.C. dos Anjos, R.C. dos Anjos²⁵, J. Ebr³², F. Ellwanger⁴¹, M. Emam^{80,81}, R. Engel^{39,41}, I. Epicoco^{56,48}, M. Erdmann⁴², A. Etchegoyen^{7,12}, C. Evoli^{45,46}, H. Falcke^{80,82,81}, J. Farmer⁸⁹, G. Farrar⁸⁸, A.C. Fauth²¹, N. Fazzini^e, F. Feldbusch⁴⁰, F. Fenu^{41,d}, A. Fernandes⁷², B. Fick⁸⁷, J.M. Figueira⁷, A. Filipčič^{77,76}, T. Fitoussi⁴¹, B. Flaggs⁹⁰, T. Fodran⁸⁰, T. Fujii^{89,f}, A. Fuster^{7,12}, C. Galea⁸⁰, C. Galelli^{59,49}, B. García⁶, C. Gaudu³⁸, H. Gemmeke⁴⁰, F. Gesualdi^{7,41}, A. Gherghel-Lascu⁷³, P.L. Ghia³⁴, U. Giaccari⁴⁸, M. Giammarchi⁴⁹, J. Glombitza^{42,g}, F. Gobbi¹⁰, F. Gollan⁷, G. Golup¹, M. Gómez Berisso¹, P.F. Gómez Vitale¹¹, J.P. Gongora¹¹, J.M. González¹, N. González⁷, I. Goos¹, D. Góra⁷⁰, A. Gorgi^{54,52}, M. Gottowik⁷⁹, T.D. Grubb¹³, F. Guarino^{60,50}, G.P. Guedes²², E. Guido⁴⁴, S. Hahn³⁹, P. Hamal³², M.R. Hampel⁷, P. Hansen³, D. Harari¹, V.M. Harvey¹³, A. Haungs⁴¹, T. Hebbeker⁴², C. Hojvat^e, J.R. Hörandel^{80,81}, P. Horvath³³, M. Hrabovský³³, T. Huege^{41,15}, A. Insolia^{58,47}, P.G. Isar⁷⁴, P. Janecek³², J.A. Johnsen⁸⁵, J. Jurysek³², A. Kääpä³⁸, K.H. Kampert³⁸, B. Keilhauer⁴¹, A. Khakurdikar⁸⁰, V.V. Kizakke Covilakam^{7,41}, H.O. Klages⁴¹, M. Kleifges⁴⁰, F. Knapp³⁹, N. Kunka⁴⁰, B.L. Lago¹⁶, N. Langner⁴², M.A. Leigui de Oliveira²⁴, Y. Lema-Capeans⁷⁹, V. Lenok³⁹, A. Letessier-Selvon³⁵, I. Lhenry-Yvon³⁴, D. Lo Presti^{58,47}, L. Lopes⁷², L. Lu⁹¹, Q. Luce³⁹, J.P. Lundquist⁷⁶, A. Machado Payeras²¹, M. Majercakova³², D. Mandat³², B.C. Manning¹³, P. Mantsch^e, S. Marafigo³⁴, F.M. Mariani^{59,49}, A.G. Mariazzi³, I.C. Mariş¹⁴, G. Marsella^{61,47}, D. Martello^{56,48}, S. Martinelli^{41,7}, O. Martínez Bravo⁶⁴, M.A. Martins⁷⁹, M. Mastrodicasa^{57,46}, H.J. Mathes⁴¹, J. Matthews^a, G. Matthiae^{62,51}, E. Mayotte^{85,38}, S. Mayotte⁸⁵, P.O. Mazur^e, G. Medina-Tanco⁶⁸, J. Meinert³⁸, D. Melo⁷, A. Menshikov⁴⁰, C. Merx⁴¹, S. Michal³³, M.I. Micheletti⁵, L. Miramonti^{59,49}, S. Mollerach¹, F. Montanet³⁶, L. Morejon³⁸, C. Morello^{54,52}, A.L. Müller³², K. Mulrey^{80,81}, R. Mussa⁵², M. Muzio⁸⁸, W.M. Namasaka³⁸, S. Negi³², L. Nellen⁶⁸, K. Nguyen⁸⁷, G. Nicora⁹, M. Niculescu-Oglinzu⁷³, M. Niechciol⁴⁴, D. Nitz⁸⁷, D. Nosek³¹, V. Novotny³¹, L. Nožka³³, A. Nucita^{56,48}, L.A. Núñez³⁰, C. Oliveira¹⁹, M. Palatka³², J. Pallotta⁹, S. Panja³², G. Parente⁷⁹, T. Paulsen³⁸, J. Pawlowsky³⁸, M. Pech³², J. Pękala⁷⁰, R. Pelayo⁶⁵, L.A.S. Pereira²³, E.E. Pereira Martins^{39,7}, J. Perez Armand²⁰, C. Pérez Bertolli^{7,41}, L. Perrone^{56,48}, S. Petrera^{45,46}, C. Petrucci^{57,46}, T. Pierog⁴¹, M. Pimenta⁷², M. Platino⁷, B. Pont⁸⁰, M. Pothast^{81,80}, M. Pourmohammad Shahvar^{61,47}, P. Privitera⁸⁹, M. Prouza³², A. Puyleart⁸⁷, S. Querschfeld³⁸, J. Rautenberg³⁸, D. Ravignani⁷, M. Reininghaus³⁹, J. Ridky³², F. Riehn⁷⁹, M. Risse⁴⁴, V. Rizi^{57,46}, W. Rodrigues de Carvalho⁸⁰, E. Rodriguez^{7,41}, J. Rodriguez Rojo¹¹, M.J. Roncoroni⁷, S. Rossoni⁴³, M. Roth⁴¹, E. Roulet¹, A.C. Rovero⁴, P. Ruehl⁴⁴, A. Saftoiu⁷³, M. Saharan⁸⁰, F. Salamida^{57,46}, H. Salazar⁶⁴, G. Salina⁵¹, J.D. Sanabria Gomez³⁰, F. Sánchez⁷, E.M. Santos²⁰, E. Santos³²,

F. Sarazin⁸⁵, R. Sarmiento⁷², R. Sato¹¹, P. Savina⁹¹, C.M. Schäfer⁴¹, V. Scherini^{56,48}, H. Schieler⁴¹, M. Schimassek³⁴, M. Schimp³⁸, F. Schlüter⁴¹, D. Schmidt³⁹, O. Scholten^{15,i}, H. Schoorlemmer^{80,81}, P. Schovánek³², F.G. Schröder^{90,41}, J. Schulte⁴², T. Schulz⁴¹, S.J. Sciutto³, M. Scornavacche^{7,41}, A. Segreto^{53,47}, S. Sehgal³⁸, S.U. Shivashankara⁷⁶, G. Sigl⁴³, G. Silli⁷, O. Sima^{73,b}, F. Simon⁴⁰, R. Smay⁷³, R. Šmída⁸⁹, P. Sommers^k, J.F. Soriano⁸⁶, R. Squartini¹⁰, M. Stadelmaier³², D. Stanca⁷³, S. Stanič⁷⁶, J. Stasielak⁷⁰, P. Stassi³⁶, S. Strähm³⁹, M. Straub⁴², M. Suárez-Durán¹⁴, T. Suomijärvi³⁷, A.D. Supanitsky⁷, Z. Svozilikova³², Z. Szadkowski⁷¹, A. Tapia²⁹, C. Taricco^{63,52}, C. Timmermans^{81,80}, O. Tkachenko⁴¹, P. Tobiska³², C.J. Todero Peixoto¹⁸, B. Tomé⁷², Z. Torrès³⁶, A. Travaini¹⁰, P. Travnicek³², C. Trimarelli^{57,46}, M. Tueros³, M. Unger⁴¹, L. Vaclavik³³, M. Vacula³³, J.F. Valdés Galicia⁶⁸, L. Valore^{60,50}, E. Varela⁶⁴, A. Vásquez-Ramírez³⁰, D. Veberič⁴¹, C. Ventura²⁷, I.D. Vergara Quispe³, V. Verzi⁵¹, J. Vicha³², J. Vink⁸³, J. Vlastimil³², S. Vorobiov⁷⁶, C. Watanabe²⁶, A.A. Watson^c, A. Weindl⁴¹, L. Wiencke⁸⁵, H. Wilczyński⁷⁰, D. Wittkowski³⁸, B. Wundheiler⁷, B. Yue³⁸, A. Yushkov³², O. Zapparrata¹⁴, E. Zas⁷⁹, D. Zavrtanik^{76,77}, M. Zavrtanik^{77,76}

-
- ¹ Centro Atómico Bariloche and Instituto Balseiro (CNEA-UNCuyo-CONICET), San Carlos de Bariloche, Argentina
² Departamento de Física and Departamento de Ciencias de la Atmósfera y los Océanos, FCEyN, Universidad de Buenos Aires and CONICET, Buenos Aires, Argentina
³ IFLP, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁴ Instituto de Astronomía y Física del Espacio (IAFE, CONICET-UBA), Buenos Aires, Argentina
⁵ Instituto de Física de Rosario (IFIR) – CONICET/U.N.R. and Facultad de Ciencias Bioquímicas y Farmacéuticas U.N.R., Rosario, Argentina
⁶ Instituto de Tecnologías en Detección y Astropartículas (CNEA, CONICET, UNSAM), and Universidad Tecnológica Nacional – Facultad Regional Mendoza (CONICET/CNEA), Mendoza, Argentina
⁷ Instituto de Tecnologías en Detección y Astropartículas (CNEA, CONICET, UNSAM), Buenos Aires, Argentina
⁸ International Center of Advanced Studies and Instituto de Ciencias Físicas, ECyT-UNSAM and CONICET, Campus Miguelite – San Martín, Buenos Aires, Argentina
⁹ Laboratorio Atmósfera – Departamento de Investigaciones en Láseres y sus Aplicaciones – UNIDEF (CITEDEF-CONICET), Argentina
¹⁰ Observatorio Pierre Auger, Malargüe, Argentina
¹¹ Observatorio Pierre Auger and Comisión Nacional de Energía Atómica, Malargüe, Argentina
¹² Universidad Tecnológica Nacional – Facultad Regional Buenos Aires, Buenos Aires, Argentina
¹³ University of Adelaide, Adelaide, S.A., Australia
¹⁴ Université Libre de Bruxelles (ULB), Brussels, Belgium
¹⁵ Vrije Universiteit Brussels, Brussels, Belgium
¹⁶ Centro Federal de Educação Tecnológica Celso Suckow da Fonseca, Petropolis, Brazil
¹⁷ Instituto Federal de Educação, Ciência e Tecnologia do Rio de Janeiro (IFRJ), Brazil
¹⁸ Universidade de São Paulo, Escola de Engenharia de Lorena, Lorena, SP, Brazil
¹⁹ Universidade de São Paulo, Instituto de Física de São Carlos, São Carlos, SP, Brazil
²⁰ Universidade de São Paulo, Instituto de Física, São Paulo, SP, Brazil
²¹ Universidade Estadual de Campinas, IFGW, Campinas, SP, Brazil
²² Universidade Estadual de Feira de Santana, Feira de Santana, Brazil
²³ Universidade Federal de Campina Grande, Centro de Ciências e Tecnologia, Campina Grande, Brazil
²⁴ Universidade Federal do ABC, Santo André, SP, Brazil
²⁵ Universidade Federal do Paraná, Setor Palotina, Palotina, Brazil
²⁶ Universidade Federal do Rio de Janeiro, Instituto de Física, Rio de Janeiro, RJ, Brazil
²⁷ Universidade Federal do Rio de Janeiro (UFRJ), Observatório do Valongo, Rio de Janeiro, RJ, Brazil
²⁸ Universidade Federal Fluminense, EEIMVR, Volta Redonda, RJ, Brazil
²⁹ Universidad de Medellín, Medellín, Colombia
³⁰ Universidad Industrial de Santander, Bucaramanga, Colombia

- ³¹ Charles University, Faculty of Mathematics and Physics, Institute of Particle and Nuclear Physics, Prague, Czech Republic
- ³² Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic
- ³³ Palacky University, Olomouc, Czech Republic
- ³⁴ CNRS/IN2P3, IJCLab, Université Paris-Saclay, Orsay, France
- ³⁵ Laboratoire de Physique Nucléaire et de Hautes Energies (LPNHE), Sorbonne Université, Université de Paris, CNRS-IN2P3, Paris, France
- ³⁶ Univ. Grenoble Alpes, CNRS, Grenoble Institute of Engineering Univ. Grenoble Alpes, LPSC-IN2P3, 38000 Grenoble, France
- ³⁷ Université Paris-Saclay, CNRS/IN2P3, IJCLab, Orsay, France
- ³⁸ Bergische Universität Wuppertal, Department of Physics, Wuppertal, Germany
- ³⁹ Karlsruhe Institute of Technology (KIT), Institute for Experimental Particle Physics, Karlsruhe, Germany
- ⁴⁰ Karlsruhe Institute of Technology (KIT), Institut für Prozessdatenverarbeitung und Elektronik, Karlsruhe, Germany
- ⁴¹ Karlsruhe Institute of Technology (KIT), Institute for Astroparticle Physics, Karlsruhe, Germany
- ⁴² RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
- ⁴³ Universität Hamburg, II. Institut für Theoretische Physik, Hamburg, Germany
- ⁴⁴ Universität Siegen, Department Physik – Experimentelle Teilchenphysik, Siegen, Germany
- ⁴⁵ Gran Sasso Science Institute, L'Aquila, Italy
- ⁴⁶ INFN Laboratori Nazionali del Gran Sasso, Assergi (L'Aquila), Italy
- ⁴⁷ INFN, Sezione di Catania, Catania, Italy
- ⁴⁸ INFN, Sezione di Lecce, Lecce, Italy
- ⁴⁹ INFN, Sezione di Milano, Milano, Italy
- ⁵⁰ INFN, Sezione di Napoli, Napoli, Italy
- ⁵¹ INFN, Sezione di Roma “Tor Vergata”, Roma, Italy
- ⁵² INFN, Sezione di Torino, Torino, Italy
- ⁵³ Istituto di Astrofisica Spaziale e Fisica Cosmica di Palermo (INAF), Palermo, Italy
- ⁵⁴ Osservatorio Astrofisico di Torino (INAF), Torino, Italy
- ⁵⁵ Politecnico di Milano, Dipartimento di Scienze e Tecnologie Aerospaziali, Milano, Italy
- ⁵⁶ Università del Salento, Dipartimento di Matematica e Fisica “E. De Giorgi”, Lecce, Italy
- ⁵⁷ Università dell'Aquila, Dipartimento di Scienze Fisiche e Chimiche, L'Aquila, Italy
- ⁵⁸ Università di Catania, Dipartimento di Fisica e Astronomia “Ettore Majorana”, Catania, Italy
- ⁵⁹ Università di Milano, Dipartimento di Fisica, Milano, Italy
- ⁶⁰ Università di Napoli “Federico II”, Dipartimento di Fisica “Ettore Pancini”, Napoli, Italy
- ⁶¹ Università di Palermo, Dipartimento di Fisica e Chimica “E. Segrè”, Palermo, Italy
- ⁶² Università di Roma “Tor Vergata”, Dipartimento di Fisica, Roma, Italy
- ⁶³ Università Torino, Dipartimento di Fisica, Torino, Italy
- ⁶⁴ Benemérita Universidad Autónoma de Puebla, Puebla, México
- ⁶⁵ Unidad Profesional Interdisciplinaria en Ingeniería y Tecnologías Avanzadas del Instituto Politécnico Nacional (UPIITA-IPN), México, D.F., México
- ⁶⁶ Universidad Autónoma de Chiapas, Tuxtla Gutiérrez, Chiapas, México
- ⁶⁷ Universidad Michoacana de San Nicolás de Hidalgo, Morelia, Michoacán, México
- ⁶⁸ Universidad Nacional Autónoma de México, México, D.F., México
- ⁶⁹ Universidad Nacional de San Agustín de Arequipa, Facultad de Ciencias Naturales y Formales, Arequipa, Peru
- ⁷⁰ Institute of Nuclear Physics PAN, Krakow, Poland
- ⁷¹ University of Łódź, Faculty of High-Energy Astrophysics, Łódź, Poland
- ⁷² Laboratório de Instrumentação e Física Experimental de Partículas – LIP and Instituto Superior Técnico – IST, Universidade de Lisboa – UL, Lisboa, Portugal
- ⁷³ “Horia Hulubei” National Institute for Physics and Nuclear Engineering, Bucharest-Magurele, Romania
- ⁷⁴ Institute of Space Science, Bucharest-Magurele, Romania
- ⁷⁵ University Politehnica of Bucharest, Bucharest, Romania
- ⁷⁶ Center for Astrophysics and Cosmology (CAC), University of Nova Gorica, Nova Gorica, Slovenia
- ⁷⁷ Experimental Particle Physics Department, J. Stefan Institute, Ljubljana, Slovenia

- ⁷⁸ Universidad de Granada and C.A.F.P.E., Granada, Spain
⁷⁹ Instituto Galego de Física de Altas Enerxías (IGFAE), Universidade de Santiago de Compostela, Santiago de Compostela, Spain
⁸⁰ IMAPP, Radboud University Nijmegen, Nijmegen, The Netherlands
⁸¹ Nationaal Instituut voor Kernfysica en Hoge Energie Fysica (NIKHEF), Science Park, Amsterdam, The Netherlands
⁸² Stichting Astronomisch Onderzoek in Nederland (ASTRON), Dwingeloo, The Netherlands
⁸³ Universiteit van Amsterdam, Faculty of Science, Amsterdam, The Netherlands
⁸⁴ Case Western Reserve University, Cleveland, OH, USA
⁸⁵ Colorado School of Mines, Golden, CO, USA
⁸⁶ Department of Physics and Astronomy, Lehman College, City University of New York, Bronx, NY, USA
⁸⁷ Michigan Technological University, Houghton, MI, USA
⁸⁸ New York University, New York, NY, USA
⁸⁹ University of Chicago, Enrico Fermi Institute, Chicago, IL, USA
⁹⁰ University of Delaware, Department of Physics and Astronomy, Bartol Research Institute, Newark, DE, USA
⁹¹ University of Wisconsin-Madison, Department of Physics and WIPAC, Madison, WI, USA

- ^a Louisiana State University, Baton Rouge, LA, USA
^b also at University of Bucharest, Physics Department, Bucharest, Romania
^c School of Physics and Astronomy, University of Leeds, Leeds, United Kingdom
^d now at Agenzia Spaziale Italiana (ASI). Via del Politecnico 00133, Roma, Italy
^e Fermi National Accelerator Laboratory, Fermilab, Batavia, IL, USA
^f now at Graduate School of Science, Osaka Metropolitan University, Osaka, Japan
^g now at ECAP, Erlangen, Germany
^h Max-Planck-Institut für Radioastronomie, Bonn, Germany
ⁱ also at Kapteyn Institute, University of Groningen, Groningen, The Netherlands
^j Colorado State University, Fort Collins, CO, USA
^k Pennsylvania State University, University Park, PA, USA

Acknowledgments

The successful installation, commissioning, and operation of the Pierre Auger Observatory would not have been possible without the strong commitment and effort from the technical and administrative staff in Malargüe. We are very grateful to the following agencies and organizations for financial support:

Argentina – Comisión Nacional de Energía Atómica; Agencia Nacional de Promoción Científica y Tecnológica (ANPCyT); Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET); Gobierno de la Provincia de Mendoza; Municipalidad de Malargüe; NDM Holdings and Valle Las Leñas; in gratitude for their continuing cooperation over land access; Australia – the Australian Research Council; Belgium – Fonds de la Recherche Scientifique (FNRS); Research Foundation Flanders (FWO); Brazil – Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq); Financiadora de Estudos e Projetos (FINEP); Fundação de Amparo à Pesquisa do Estado de Rio de Janeiro (FAPERJ); São Paulo Research Foundation (FAPESP) Grants No. 2019/10151-2, No. 2010/07359-6 and No. 1999/05404-3; Ministério da Ciência, Tecnologia, Inovações e Comunicações (MCTIC); Czech Republic – Grant No. MSMT CR LTT18004, LM2015038, LM2018102, CZ.02.1.01/0.0/0.0/16_013/0001402, CZ.02.1.01/0.0/0.0/18_046/0016010 and CZ.02.1.01/0.0/0.0/17_049/0008422; France – Centre de Calcul IN2P3/CNRS; Centre National de la Recherche Scientifique (CNRS); Conseil Régional Ile-de-France; Département Physique Nucléaire et Corpusculaire (PNC-IN2P3/CNRS); Département Sciences de l’Univers (SDU-INSU/CNRS); Institut Lagrange de Paris (ILP) Grant No. LABEX ANR-10-LABX-63 within the Investissements d’Avenir Programme Grant No. ANR-11-IDEX-0004-02; Germany – Bundesministerium für Bildung und Forschung (BMBF); Deutsche Forschungsgemeinschaft (DFG); Finanzministerium Baden-Württemberg; Helmholtz Alliance for Astroparticle Physics (HAP); Helmholtz-Gemeinschaft Deutscher Forschungszentren (HGF); Ministerium für Kultur und Wissenschaft des Landes Nordrhein-Westfalen; Ministerium für Wissenschaft, Forschung und Kunst des Landes Baden-Württemberg; Italy – Istituto Nazionale di Fisica Nucleare (INFN); Istituto Nazionale di Astrofisica (INAF); Ministero dell’Università e della Ricerca (MUR); CETEMPS Center of Excellence; Ministero degli Affari Esteri (MAE), ICSC Centro Nazionale di Ricerca in High Performance Computing, Big Data

and Quantum Computing, funded by European Union NextGenerationEU, reference code CN_00000013; México – Consejo Nacional de Ciencia y Tecnología (CONACYT) No. 167733; Universidad Nacional Autónoma de México (UNAM); PAPIIT DGAPA-UNAM; The Netherlands – Ministry of Education, Culture and Science; Netherlands Organisation for Scientific Research (NWO); Dutch national e-infrastructure with the support of SURF Cooperative; Poland – Ministry of Education and Science, grants No. DIR/WK/2018/11 and 2022/WK/12; National Science Centre, grants No. 2016/22/M/ST9/00198, 2016/23/B/ST9/01635, 2020/39/B/ST9/01398, and 2022/45/B/ST9/02163; Portugal – Portuguese national funds and FEDER funds within Programa Operacional Factores de Competitividade through Fundação para a Ciência e a Tecnologia (COMPETE); Romania – Ministry of Research, Innovation and Digitization, CNCS-UEFISCDI, contract no. 30N/2023 under Romanian National Core Program LAPLAS VII, grant no. PN 23 21 01 02 and project number PN-III-P1-1.1-TE-2021-0924/TE57/2022, within PNCDI III; Slovenia – Slovenian Research Agency, grants P1-0031, P1-0385, I0-0033, N1-0111; Spain – Ministerio de Economía, Industria y Competitividad (FPA2017-85114-P and PID2019-104676GB-C32), Xunta de Galicia (ED431C 2017/07), Junta de Andalucía (SOMM17/6104/UGR, P18-FR-4314) Feder Funds, RENATA Red Nacional Temática de Astropartículas (FPA2015-68783-REDT) and María de Maeztu Unit of Excellence (MDM-2016-0692); USA – Department of Energy, Contracts No. DE-AC02-07CH11359, No. DE-FR02-04ER41300, No. DE-FG02-99ER41107 and No. DE-SC0011689; National Science Foundation, Grant No. 0450696; The Grainger Foundation; Marie Curie-IRSES/EPLANET; European Particle Physics Latin American Network; and UNESCO.

The Telescope Array Project



R.U. Abbasi¹, Y. Abe², T. Abu-Zayyad^{1,3}, M. Allen³, Y. Arai⁴, R. Arimura⁴, E. Barcikowski³, J.W. Belz³, D.R. Bergman³, S.A. Blake³, I. Buckland³, B.G. Cheon⁵, M. Chikawa⁶, A. Fedynitch^{6,7}, T. Fujii^{4,8}, K. Fujisue⁶, K. Fujita⁶, R. Fujiwara⁴, M. Fukushima⁶, G. Furlich³, Z. Gerber³, N. Globus^{9†}, W. Hanlon³, N. Hayashida¹⁰, H. He⁹, R. Hibi², K. Hibino¹⁰, R. Higuchi⁹, K. Honda¹¹, D. Ikeda¹⁰, N. Inoue¹², T. Ishii¹¹, H. Ito⁹, D. Ivanov³, A. Iwasaki⁴, H.M. Jeong¹³, S. Jeong¹³, C.C.H. Jui³, K. Kadota¹⁴, F. Kakimoto¹⁰, O. Kalashev¹⁵, K. Kasahara¹⁶, S. Kasami¹⁷, S. Kawakami⁴, K. Kawata⁶, I. Kharuk¹⁵, E. Kido⁹, H.B. Kim⁵, J.H. Kim³, J.H. Kim^{3‡}, S.W. Kim¹³, Y. Kimura⁴, I. Komae⁴, K. Komori¹⁷, Y. Kusumori¹⁷, M. Kuznetsov^{15,18}, Y.J. Kwon¹⁹, K.H. Lee⁵, M.J. Lee¹³, B. Lubsandorzhiiev¹⁵, J.P. Lundquist^{3,20}, T. Matsuyama⁴, J.A. Matthews³, J.N. Matthews³, R. Mayta⁴, K. Miyashita², K. Mizuno², M. Mori¹⁷, M. Murakami¹⁷, I. Myers³, S. Nagataki⁹, K. Nakai⁴, T. Nakamura²¹, E. Nishio¹⁷, T. Nonaka⁶, S. Ogio⁶, H. Ohoka⁶, N. Okazaki⁶, Y. Oku¹⁷, T. Okuda²², Y. Omura⁴, M. Onishi⁶, M. Ono⁹, A. Oshima²³, H. Oshima⁶, S. Ozawa²⁴, I.H. Park¹³, K.Y. Park⁵, M. Potts^{3§}, M.S. Pshirkov^{15,25}, J. Remington³, D.C. Rodriguez³, C. Rott^{3,13}, G.I. Rubtsov¹⁵, D. Ryu²⁶, H. Sagawa⁶, R. Saito², N. Sakaki⁶, T. Sako⁶, N. Sakurai⁴, D. Sato², K. Sato⁴, S. Sato¹⁷, K. Sekino⁶, P.D. Shah³, N. Shibata¹⁷, T. Shibata⁶, J. Shikita⁴, H. Shimodaira⁶, B.K. Shin²⁶, H.S. Shin⁶, D. Shinto¹⁷, J.D. Smith³, P. Sokolsky³, B.T. Stokes³, T.A. Stroman³, Y. Takagi¹⁷, K. Takahashi⁶, M. Takamura²⁷, M. Takeda⁶, R. Takeishi⁶, A. Taketa²⁸, M. Takita⁶, Y. Tameda¹⁷, K. Tanaka²⁹, M. Tanaka³⁰, S.B. Thomas³, G.B. Thomson³, P. Tinyakov^{15,18}, I. Tkachev¹⁵, H. Tokuno³¹, T. Tomida², S. Troitsky¹⁵, R. Tsuda⁴, Y. Tsunesada^{4,8}, S. Udo¹⁰, F. Urban³², I.A. Vaiman¹⁵, D. Warren⁹, T. Wong³, K. Yamazaki²³, K. Yashiro²⁷, F. Yoshida¹⁷, Y. Zhezher^{6,15}, and Z. Zundel³

¹ Department of Physics, Loyola University Chicago, Chicago, Illinois 60660, USA

² Academic Assembly School of Science and Technology Institute of Engineering, Shinshu University, Nagano, Nagano 380-8554, Japan

³ High Energy Astrophysics Institute and Department of Physics and Astronomy, University of Utah, Salt Lake City, Utah 84112-0830, USA

⁴ Graduate School of Science, Osaka Metropolitan University, Sugimoto, Sumiyoshi, Osaka 558-8585, Japan

⁵ Department of Physics and The Research Institute of Natural Science, Hanyang University, Seongdong-gu, Seoul 426-791, Korea

⁶ Institute for Cosmic Ray Research, University of Tokyo, Kashiwa, Chiba 277-8582, Japan

⁷ Institute of Physics, Academia Sinica, Taipei City 115201, Taiwan

⁸ Nambu Yoichiro Institute of Theoretical and Experimental Physics, Osaka Metropolitan University, Sugimoto, Sumiyoshi, Osaka 558-8585, Japan

⁹ Astrophysical Big Bang Laboratory, RIKEN, Wako, Saitama 351-0198, Japan

¹⁰ Faculty of Engineering, Kanagawa University, Yokohama, Kanagawa 221-8686, Japan

¹¹ Interdisciplinary Graduate School of Medicine and Engineering, University of Yamanashi, Kofu, Yamanashi 400-8511, Japan

¹² The Graduate School of Science and Engineering, Saitama University, Saitama, Saitama 338-8570, Japan

¹³ Department of Physics, SungKyunKwan University, Jang-an-gu, Suwon 16419, Korea

¹⁴ Department of Physics, Tokyo City University, Setagaya-ku, Tokyo 158-8557, Japan

¹⁵ Institute for Nuclear Research of the Russian Academy of Sciences, Moscow 117312, Russia

¹⁶ Faculty of Systems Engineering and Science, Shibaura Institute of Technology, Minato-ku, Tokyo 337-8570, Japan

¹⁷ Graduate School of Engineering, Osaka Electro-Communication University, Neyagawa-shi, Osaka 572-8530, Japan

¹⁸ Service de Physique Théorique, Université Libre de Bruxelles, Brussels 1050, Belgium

¹⁹ Department of Physics, Yonsei University, Seodaemun-gu, Seoul 120-749, Korea

²⁰ Center for Astrophysics and Cosmology, University of Nova Gorica, Nova Gorica 5297, Slovenia

²¹ Faculty of Science, Kochi University, Kochi, Kochi 780-8520, Japan

- ²² Department of Physical Sciences, Ritsumeikan University, Kusatsu, Shiga 525-8577, Japan
²³ College of Science and Engineering, Chubu University, Kasugai, Aichi 487-8501, Japan
²⁴ Quantum ICT Advanced Development Center, National Institute for Information and Communications Technology, Koganei, Tokyo 184-8795, Japan
²⁵ Sternberg Astronomical Institute, Moscow M.V. Lomonosov State University, Moscow 119991, Russia
²⁶ Department of Physics, School of Natural Sciences, Ulsan National Institute of Science and Technology, UNIST-gil, Ulsan 689-798, Korea
²⁷ Department of Physics, Tokyo University of Science, Noda, Chiba 162-8601, Japan
²⁸ Earthquake Research Institute, University of Tokyo, Bunkyo-ku, Tokyo 277-8582, Japan
²⁹ Graduate School of Information Sciences, Hiroshima City University, Hiroshima, Hiroshima 731-3194, Japan
³⁰ Institute of Particle and Nuclear Studies, KEK, Tsukuba, Ibaraki 305-0801, Japan
³¹ Graduate School of Science and Engineering, Tokyo Institute of Technology, Meguro, Tokyo 152-8550, Japan
³² CEICO, Institute of Physics, Czech Academy of Sciences, Prague 182 21, Czech Republic

[†] Presently at: University of California - Santa Cruz, USA

[‡] Presently at: Argonne National Laboratory, Physics Division, Lemont, Illinois 60439, USA

[§] Presently at: Georgia Institute of Technology, Physics Department, Atlanta, Georgia 30332, USA

Acknowledgments

The Telescope Array experiment is supported by the Japan Society for the Promotion of Science (JSPS) through Grants-in-Aid for Priority Area 431, for Specially Promoted Research JP21000002, for Scientific Research (S) JP19104006, for Specially Promoted Research JP15H05693, for Scientific Research (S) JP19H05607, for Scientific Research (S) JP15H05741, for Science Research (A) JP18H03705, for Young Scientists (A) JPH26707011, and for Fostering Joint International Research (B) JP19KK0074, by the joint research program of the Institute for Cosmic Ray Research (ICRR), The University of Tokyo; by the Pioneering Program of RIKEN for the Evolution of Matter in the Universe (r-EMU); by the U.S. National Science Foundation awards PHY-1806797, PHY-2012934, PHY-2112904, PHY-2209583, and PHY-2209584 as well as AGS-1613260, AGS-1844306, and AGS-2112709; by the National Research Foundation of Korea (2017K1A4A3015188, 2020R1A2C1008230, & 2020R1A2C2102800); by the Ministry of Science and Higher Education of the Russian Federation under the contract 075-15-2020-778, IISN project No. 4.4501.18, by the Belgian Science Policy under IUAP VII/37 (ULB), by National Science Centre in Poland grant 2020/37/B/ST9/01821. This work was partially supported by the grants of The joint research program of the Institute for Space-Earth Environmental Research, Nagoya University and Inter-University Research Program of the Institute for Cosmic Ray Research of University of Tokyo. The foundations of Dr. Ezekiel R. and Edna Wattis Dumke, Willard L. Eccles, and George S. and Dolores Doré Eccles all helped with generous donations. The State of Utah supported the project through its Economic Development Board, and the University of Utah through the Office of the Vice President for Research. The experimental site became available through the cooperation of the Utah School and Institutional Trust Lands Administration (SITLA), U.S. Bureau of Land Management (BLM), and the U.S. Air Force. We appreciate the assistance of the State of Utah and Fillmore offices of the BLM in crafting the Plan of Development for the site. We thank Patrick A. Shea who assisted the collaboration with much valuable advice and provided support for the collaboration's efforts. The people and the officials of Millard County, Utah have been a source of steadfast and warm support for our work which we greatly appreciate. We are indebted to the Millard County Road Department for their efforts to maintain and clear the roads which get us to our sites. We gratefully acknowledge the contribution from the technical staffs of our home institutions. An allocation of computing resources from the Center for High Performance Computing at the University of Utah as well as the Academia Sinica Grid Computing Center (ASGC) is gratefully acknowledged.