

UNIVERSIDADE ESTADUAL DE CAMPINAS
SISTEMA DE BIBLIOTECAS DA UNICAMP
REPOSITÓRIO DA PRODUÇÃO CIENTÍFICA E INTELLECTUAL DA UNICAMP

Versão do arquivo anexado / Version of attached file:

Versão do Editor / Published Version

Mais informações no site da editora / Further information on publisher's website:

<https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecy.3639>

DOI: <https://doi.org/10.1002/ecy.3639>

Direitos autorais / Publisher's copyright statement:

©2022 by John Wiley & Sons. All rights reserved.

DIRETORIA DE TRATAMENTO DA INFORMAÇÃO

Cidade Universitária Zeferino Vaz Barão Geraldo

CEP 13083-970 – Campinas SP

Fone: (19) 3521-6493

<http://www.repositorio.unicamp.br>

Subtle structures with not-so-subtle functions: A data set of arthropod constructs and their host plants

Cássio Cardoso Pereira¹  | **Samuel Novais²**  | **Milton Barbosa³** |
Daniel Negreiros³ | **Thiago Gonçalves-Souza⁴** | **Tomas Roslin⁵**  |
Robert Marquis⁶ | **Nicholas Marino⁷** | **Vojtech Novotny^{8,9}** | **Jerome Orivel¹⁰** |
Shen Sui¹¹ | **Gustavo Aires⁴** | **Reuber Antoniazzi¹²**  | **Wesley Dáttilo¹³**  |
Crasso Breviglieri¹⁴ | **Annika Busse¹⁵** | **Heloise Gibb¹⁶**  | **Thiago Izzo¹⁷** |
Tomas Kadlec¹⁸ | **Victoria Kemp¹⁹** | **Monica Kersch-Becker²⁰** |
Michal Knapp¹⁸  | **Pavel Kratina¹⁹**  | **Rebecca Luke²¹** | **Stefan Majnarić²²** |
Robin Maritz²³ | **Paulo Mateus Martins^{4,24,25}** | **Esayas Mendesil²⁶** |
Jaroslav Michalko^{27,28} | **Anna Mrazova^{8,9}** | **Mirela Sertić Perić²²** |
Jana Petermann²⁹ | **Sérvio Ribeiro³⁰** | **Katerina Sam^{8,9}** |
M. Kurtis Trzcinski³¹ | **Camila Vieira³²** | **Natalie Westwood³³** |
Maria Bernaschini³⁴ | **Valentina Carvajal³⁵** | **Ezequiel González¹⁸** |
Mariana Jausoro³⁶ | **Stanis Kaensin¹¹** | **Fabiola Ospina³⁷** |
Jacob Cristóbal Pérez^{38,39}  | **Mauricio Quesada^{38,39}**  | **Pierre Rogy³³** |
Diane S. Srivastava³³  | **Scarlett Szpryngiel⁴⁰**  | **Ayco J. M. Tack⁴¹** |
Tiit Teder^{18,42} | **Martin Videla³³** | **Mari-Liis Viljur^{42,43}** | **Julia Koricheva²¹** |
G. Wilson Fernandes³  | **Gustavo Q. Romero¹⁴**  | **Tatiana Cornelissen¹** 

¹Programa de Pós-Graduação em Ecologia, Conservação e Manejo da Vida Silvestre, Centro de Síntese Ecológica e Conservação, Instituto de Ciências Biológicas, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte, Brazil

²Red de Interacciones Multitróficas, Instituto de Ecología A.C., Xalapa, Mexico

³Laboratório de Ecologia Evolutiva e Biodiversidade, Instituto de Ciências Biológicas, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte, Brazil

⁴Laboratory of Ecological Synthesis and Biodiversity Conservation, Department of Biology, Federal Rural University of Pernambuco (UFRPE), Recife, Brazil

⁵Spatial Foodweb Ecology Group, Department of Ecology, Swedish University of Agricultural Sciences, Uppsala, Sweden

⁶Whitney R. Harris World Ecology Center and Department of Biology, University of Missouri-St. Louis, St. Louis, Missouri, USA

⁷Programa de Pós-Graduação em Ecologia, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil

⁸Biology Centre, Czech Republic; and Faculty of Science, Czech Academy of Sciences, Institute of Entomology, Ceske Budejovice, Czech Republic

⁹Faculty of Science, University of South Bohemia, Ceske Budejovice, Czech Republic

¹⁰CNRS, UMR Ecologie des Forêts de Guyane (EcoFoG), AgroParisTech, CIRAD, INRA, Université de Guyane, Université des Antilles, Kourou cedex, France

¹¹New Guinea Binatang Research Center, Madang, Papua New Guinea

¹²Arthur Temple College of Forestry and Agriculture, Stephen F. Austin State University, Nacogdoches, Texas, USA

¹³Red de Ecoetología, Instituto de Ecología A.C., Xalapa, Mexico

- ¹⁴Laboratory of Multitrophic Interactions and Biodiversity, Department of Animal Biology, Institute of Biology, University of Campinas (Unicamp), Campinas, Brazil
- ¹⁵Department of Nature Conservation and Research, Bavarian Forest National Park, Grafenau, Germany
- ¹⁶Department of Ecology, Environment and Evolution, La Trobe University, Melbourne, Victoria, Australia
- ¹⁷Departamento de Botânica e Ecologia, Universidade Federal de Mato Grosso, Cuiabá, Brazil
- ¹⁸Department of Ecology, Faculty of Environmental Sciences, Czech University of Life Sciences Prague, Suchbát, Czech Republic
- ¹⁹School of Biological and Behavioural Sciences, Queen Mary University of London, London, UK
- ²⁰Department of Entomology, Agricultural Sciences and Industries Building, Pennsylvania State University, University Park, Pennsylvania, USA
- ²¹Department of Biological Sciences, Royal Holloway University of London, Egham, UK
- ²²Faculty of Science, Department of Biology, University of Zagreb, Zagreb, Croatia
- ²³Department of Biodiversity and Conservation Biology, University of the Western Cape, Bellville, South Africa
- ²⁴Programa de Pós-graduação em Etnobiologia e Conservação da Natureza, Universidade Federal Rural de Pernambuco, Recife, Brazil
- ²⁵Department of Zoology, University of Otago, Dunedin, New Zealand
- ²⁶Department of Horticulture and Plant Sciences, Jimma University, Jimma, Ethiopia
- ²⁷The Biofood Center, Faculty of Biotechnology and Food Sciences, Slovak University of Agriculture in Nitra, Nitra, Slovakia
- ²⁸Mlynany Arboretum, Institute of Forest Ecology, Slovak Academy of Sciences, Štefánik, Slovakia
- ²⁹Department of Biosciences, University of Salzburg, Salzburg, Austria
- ³⁰Laboratory of Ecohealth, Ecology of Canopy Insects and Natural Succession, Nupeb-Ufop, Universidade Federal de Ouro Preto, Campus Morro do Cruzeiro, Ouro Preto, Brazil
- ³¹Department of Forest & Conservation Sciences, University of British Columbia, Vancouver, British Columbia, Canada
- ³²Departamento de Ciências Básicas, Faculdade de Zootecnia e Engenharia de Alimentos, Universidade de São Paulo, Pirassununga, Brazil
- ³³Department of Zoology and Biodiversity Research Centre, University of British Columbia, Vancouver, British Columbia, Canada
- ³⁴Instituto Multidisciplinario de Biología Vegetal (CONICET-Universidad Nacional de Córdoba), Córdoba, Argentina
- ³⁵Laboratorio de Ecología, Grupo de Investigación en Ecosistemas Tropicales, Facultad de Ciencias Exactas y Naturales, Universidad de Caldas, Manizales, Colombia
- ³⁶Departamento de Ciencias Básicas, Universidad Nacional de Chilecito, Chilecito, Argentina
- ³⁷Departamento de Ciencias Biológicas, Facultad de Ciencias Exactas y Naturales, Universidad de Caldas, Manizales, Colombia
- ³⁸Laboratorio Nacional de Análisis y Síntesis Ecológica (LANASE), Escuela Nacional de Estudios Superiores Unidad Morelia, Universidad Nacional Autónoma de México, Morelia, Mexico
- ³⁹Instituto de Investigaciones en Ecosistemas y Sustentabilidad, Universidad Nacional Autónoma de México, Morelia, Mexico
- ⁴⁰Department of Zoology, The Swedish Museum of Natural History, Stockholm, Sweden
- ⁴¹Department of Ecology, Environment and Plant Sciences, Stockholm University, Stockholm, Sweden
- ⁴²Department of Zoology, Institute of Ecology and Earth Sciences, University of Tartu, Tartu, Estonia
- ⁴³Field Station Fabriksschleichach, Department of Animal Ecology and Tropical Biology (Zoology III), Julius Maximilians University Würzburg, Rauhenbrunn, Germany

Correspondence

Tatiana Cornelissen

Email: taticornelissen@gmail.com

Funding information

Conselho Nacional de Desenvolvimento Científico e Tecnológico, Grant/Award Number: 313007/2020-9; Coordenação de Aperfeiçoamento de Pessoal de Nível Superior, Grant/Award Number: 001; Fundação de Amparo à Pesquisa do Estado de São Paulo, Grant/Award Numbers: 2018/12225-0, 2019/08474-8;

Abstract

The construction of shelters on plants by arthropods might influence other organisms via changes in colonization, community richness, species composition, and functionality. Arthropods, including beetles, caterpillars, sawflies, spiders, and wasps often interact with host plants via the construction of shelters, building a variety of structures such as leaf ties, tents, rolls, and bags; leaf and stem galls, and hollowed out stems. Such constructs might have both an adaptive value in terms of protection (i.e., serve as shelters) but may also exert a strong influence on terrestrial community diversity in the engineered and

Newton Advanced Fellowship, Grant/
Award Number: NAF/R2/180791

Handling Editor: William K. Michener

neighboring hosts via colonization by secondary occupants. Although different traits of the host plant (e.g., physical, chemical, and architectural features) may affect the potential for ecosystem engineering by insects, such effects have been, to a certain degree, overlooked. Further analyses of how plant traits affect the occurrence of shelters may therefore enrich our understanding of the organizing principles of plant-based communities. This data set includes more than 1000 unique records of ecosystem engineering by arthropods, in the form of structures built on plants. All records have been published in the literature, and span both natural structures (91% of the records) and structures artificially created by researchers (9% of the records). The data were gathered between 1932 and 2021, across more than 50 countries and several ecosystems, ranging from polar to tropical zones. In addition to data on host plants and engineers, we aggregated data on the type of constructs and the identity of inquilines using these structures. This data set highlights the importance of these subtle structures for the organization of terrestrial arthropod communities, enabling hypotheses testing in ecological studies addressing ecosystem engineering and facilitation mediated by constructs. There are no copyright restrictions and please cite this paper when using the data in publications.

KEYWORDS

arthropods, caterpillars, ecosystem engineering, inquilines, insects, leaf galls, leaf rolls, leaf tents, leaf ties, plant constructs, shelters

CONFLICT OF INTEREST

The authors declare no conflict of interest.

DATA AVAILABILITY STATEMENT

Data are available as Supporting Information and are also available on Figshare at <https://doi.org/10.6084/m9.figshare.16879135>.

ORCID

Cássio Cardoso Pereira  <https://orcid.org/0000-0002-6017-4083>

Samuel Novais  <https://orcid.org/0000-0003-3863-0860>

Tomas Roslin  <https://orcid.org/0000-0002-2957-4791>

Reuber Antoniazzi  <https://orcid.org/0000-0003-0052-3867>

Wesley Dáttilo  <https://orcid.org/0000-0002-4758-4379>

Heloise Gibb  <https://orcid.org/0000-0001-7194-0620>

Michal Knapp  <https://orcid.org/0000-0003-4487-7317>

Pavel Kratina  <https://orcid.org/0000-0002-9144-7937>

Jacob Cristóbal Pérez  <https://orcid.org/0000-0002-9391-4017>

Mauricio Quesada  <https://orcid.org/0000-0002-7776-9286>

Diane S. Srivastava  <https://orcid.org/0000-0003-4541-5595>

Scarlett Szpryngiel  <https://orcid.org/0000-0003-2965-2873>

G. Wilson Fernandes  <https://orcid.org/0000-0003-1559-6049>

Gustavo Q. Romero  <https://orcid.org/0000-0003-3736-4759>

Tatiana Cornelissen  <https://orcid.org/0000-0002-2721-7010>

SUPPORTING INFORMATION

Additional supporting information may be found in the online version of the article at the publisher's website.

How to cite this article: Pereira, Cássio Cardoso, Samuel Novais, Milton Barbosa, Daniel Negreiros, Thiago Gonçalves-Souza, Tomas Roslin, Robert Marquis, et al. 2022. "Subtle Structures with Not-So-Subtle Functions: A Data Set of Arthropod Constructs and Their Host Plants." *Ecology* 103(4): e3639. <https://doi.org/10.1002/ecy.3639>